DECLARATION OF PERFORMANCE

No. DWU 05/26

CE Declaration issued in accordance with Regulation (EU) No 305/2011 (CPR).

01 Unique identification code of the product type

EL. FUNDAMENTOWE

Type, batch or serial number allowing identification of the product — as marked on the product and stated in the delivery document.

02 Intended use or uses

Precast foundation elements (including columns with foundation elements, pocket foundations and sockets) made of normal reinforced structural concrete in accordance with EN 1992-1-1. Intended for use in all types of construction works.

03 MANUFACTURER

Formee Sp. z o.o., ul. Zakaszewskiego 7, 66-300 Międzyrzecz, Polska
tel. +48 95 740 21 11 · info@formee.pl · www.formee.pl

04 AUTHORISED REPRESENTATIVE

Not relevant.

05 SYSTEM OF ASSESSMENT AND VERIFICATION OF CONSTANCY OF PERFORMANCE

2+

6A HARMONISED STANDARD

EN 14991:2007

6A NOTIFIED BODY · FPC CERTIFICATE 0761-CPR-1153

iBMB MPA TU Braunschweig, Beethovenstrasse 52, 38106 Braunschweig — certification body no. 0761. Carried out the initial inspection of the manufacturing plant and of factory production control and performs the continuous surveillance, assessment and evaluation of FPC; issued the certificate of conformity of the factory production control.

6B EUROPEAN ASSESSMENT DOCUMENT / ETA

Not relevant.

08 APPROPRIATE / SPECIFIC TECHNICAL DOCUMENTATION (ARTICLES 36–38 OF REGULATION (EU) NO 305/2011)

Not relevant.

07 Declared performance

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
Compressive strength of concrete characteristic strength f_{ck}, cube specimens	≥ C20/25 — f_{ck} = 25 N/mm², produced as per the design documentation	EN 14991:2007
Tensile strength and yield strength of steel	f_{tk} = 550 MPa; f_{yk} = 500 MPa, as per the design documentation	EN 14991:2007
Structural properties (load-bearing capacity)	as per the product technical documentation	EN 14991:2007
Fire resistance	as per the product technical documentation	EN 14991:2007
Reaction to fire	Class A1 (*)	EN 14991:2007
Durability	Exposure class, concrete composition and minimum cover to EN 206 and EN 1992-1-1 — as per the product technical documentation	EN 14991:2007
Release of dangerous substances	NPD (**)	EN 14991:2007
Detailing rules	Concrete composition, minimum cover, surface stability — parameters as per the product technical documentation	EN 14991:2007

(*) Product made of materials listed in Commission Decision 96/603/EC (as amended) — Class A1 without the need for testing.

(**) The product contains no dangerous substances subject to declaration at the place of installation. Information under Article 31 or 33 of Regulation (EC) No 1907/2006 (REACH) is available from the manufacturer.

SUPPLEMENTARY INFORMATION — VOLUNTARY CERTIFICATION

Nordcert AB, Stockholm — certificate no. 2284: FPC of precast concrete products group B to EN 13369:2018 with supplementary Swedish requirements (CB5), BBC mark. Międzyrzecz plant PO 24, valid until 31 December 2027. Voluntary certification — outside the scope of this declaration.

09

The performance of the product identified in points 01 and 02 is in conformity with the set of declared performance in point 07. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 03.

Signed for and on behalf of the manufacturer by: Rafał Kubrycht

POSITION AND SIGNATURE

MIĘDZYRZECZ, 02.01.2026